

Cannabis Analytics and Research Specialists

WSLCB License # 0003 | 14797 NE 95th St, Redmond, WA 98052 | (206) 743-8843 | info@conflabs.com Certified For: Cannabinoids | Microbiologicals | Mycotoxins | Foreign Matter | Moisture | Terpenes | Residual Solvents | Pesticides

Research and Development Certificate of Analysis

Official Test Results for Laboratory Sample # 8030833

Origination: Diolieve CBD UBI #: Inventory #: 20210309LW003

Strain: Raw full Spectrum CBD License #: QA #: 20210309LW003

Type: CO2 Harvest Date: Unknown

Address: 2271 Lake Ave Suite 6755 Date of Receipt: 2021-03-09 Approved By: N. Mosely, CEO

Altadena, CA 91001 Date of Testing: 2021-03-09 S. Stevens, LDR



PASS/FAIL

Foreign Matter+Seeds PASS

Mycotoxins *PASS*Pesticides *PASS*


Residual Solvents PASS

Shelf Stability


Loss-On-Drying NE Water Activity: NE

Chemical Profile (units in percent by weight)

THC max		CBD 1	nax	Caryophy		
ND raw sum: ND		79 raw sum: 79		0.43		
THCA	ND	d9-THC	ND	Cedrol		
CBDA	ND	CBD 79		0.35		
CBGA	ND	CBG 0.12		0.33		
CBC	ND	CBN	ND	Guaiol		
THCVA	ND	THCV ND		0.23		
CBDVA	ND	CBDV 1.8		0.23		
CBT	ND	d8-THC ND		Terp total: 1.6		
Total Cannabinoids (raw sum): 81						



Terpene Fingerprint (units in percent by weight)



					Name	<u>%</u>		Name	<u>%</u>		<u>Name</u>	<u>%</u>
					Caryophyllene	0.43		Selinadiene	0.011	19	Fenchone	0.0018
					Cedrol	0.35		a-Maaliene	0.0074	10		0.0017
				51*	Guaiol	0.23	48*	b-Maaliene	0.0063	46*	a-Bulnesene	0.0011
0%	3%	47%	47%	52*	CaryophylleneC	0.23	1*	Thujene	0.0049	T	Total	1.6
MONO	MONO	SESOUI	SESOUI	55	Bisabolol	0.13	11*	p-Cymene	0.0046			
				43	Humulene	0.059	20	Fenchol	0.0037			
TERPENES	TERPENOIDS	TERPENES	TERPENOIDS	18	Linalool	0.025	6	a-Phellandrene	0.0034			
				47*	cis-Nerolidol	0.016	32	Geraniol	0.0025			
				28	Terpineol	0.014	13	Eucalyptol	0.0024			
				21*	trans-2-Pinano	0.011	37*	trans-a-Bergam	0.002			
Most V	olatile	Least V	/olatile			*N	lot ye	t included in ISC	scope of a	ccred	itation.	

These testing results are certified by scientific examination of a single sample provided by the Producer/Processor. Confidence Analytics and its agents did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. The sample, as received, was homogenized before subsamples were drawn for specific analyses. This report is supplemental to any other reports with the same analytic sample number. Pass/Fail criteria are defined in WAC 314-55-102.

THCmax (a.k.a. Total THC) = 49-THC + (THC-4*0.877) CBDmax (a.k.a. Total CBD) = CBD + (CBD-4*0.877) Total Cannabinoid is a raw sum of all measured cannabinoids In Traceability, Total Cannabinoid is a sum of THCmax and CBDmax Figures may differ slightly from traceability due to rounding ND = Not Detected NE = Not Examined Unk = Unknown Analytical Methods Used Cannabinoids: HPLC-UV Microbial: Plate Counting Terpenes: HS-GC-FID Solvents: HS-GC-MS Trace Residue: UHPLC-MSMS Water Activity: HYGROMER® Page 1 of 4







Cannabis Analytics and Research Specialists

WSLCB License # 0003 | 14797 NE 95th St, Redmond, WA 98052 | (206) 743-8843 | info@conflabs.com Certified For: Cannabinoids | Microbiologicals | Mycotoxins | Foreign Matter | Moisture | Terpenes | Residual Solvents | Pesticides

Research and Development Certificate of Analysis

Official Test Results for Laboratory Sample # 8030833

Origination: Diolieve CBD UBI #: Inventory #: 20210309LW003

Strain: Raw full Spectrum CBD License #: QA #: 20210309LW003

Type: CO2 Harvest Date: Unknown

Address: 2271 Lake Ave Suite 6755 Date of Receipt: 2021-03-09 Approved By: N. Mosely, CEO

Altadena, CA 91001 Date of Testing: 2021-03-09 S. Stevens, LDR



Quantitative Impurities Report

Concentrations of analytes used to determine pass/fail status of individual tests.

* Greater than lower limit of detection (>LLOD) and less than lower limit of quantification (<LLOQ). Applies to instances when the analyte has been detected and positively identified, but the concentration is lower than we can accurately quantify. Literally: signal to noise ratio greater than 3 and signal less than calibration. LLOD is ~0.001 ppm for most analytes, LLOQ is ~0.01 for most analytes. Number shown is lower end of calibration (LLOQ).

** Greater than upper limit of quantification (>ULOQ). Applies to instances when the analyte concentration in the sample is greater than we can accurately measure without additional testing. Number shown is upper end of calibration (ULOQ).

Findings

A - ---

ALKANES		
<u>Analyte</u>	Concentration	Action Level
Hexane	< RL	290 ppm
Cyclohexane	< RL	3900 ppm
Butane	< RL	5000 ppm
Pentane	< RL	5000 ppm
Heptane	< RL	5000 ppm
Propane	< RL	5000 ppm
*D '' T	· '' (DT) 10	

^{*}Reporting Limit (RL) = 10 ppm

ALLOWED INGREDIENTS

<u>Analyte</u> <u>Concentration</u> Ethanol < R

MYCOTOXINS

<u>Analyte</u>	Concentration	Action Level ³
Aflatoxin B1	< LLOQ	20 ppb
Aflatoxin B2	< LLOQ	20 ppb
Aflatoxin G1	< LLOQ	20 ppb
Aflatoxin G2	< LLOQ	20 ppb
Ochratoxin A	< LLOQ	20 ppb

^{*}Action Level is Sum of Aflatoxins

IMPURITIES

IMPURITIES		
<u>Analytes</u>	Concentration	Action Level
Acetone	< RL	5000 ppm
Benzene	< RL	2 ppm
Chloroform	< RL	2 ppm
Dichloromethane	< RL	600 ppm
Ethyl_Acetate	< RL	5000 ppm
Isopropanol	< RL	5000 ppm
Xylene	< RL	2200 ppm
Methanol	< RL	3000 ppm
Toluene	< RL	890 ppm

^{*}Reporting Limit (RL) = Half Action Level

MICROBIOLOGICALS

<u>Organism</u>	CFU/q	Action Level
BTGN Bacteria	0	10000
Yeast and Mold	NE	N/A
E. coli	0	1
Salmonella	0	1

These testing results are certified by scientific examination of a single sample provided by the Producer/Processor. Confidence Analytics and its agents did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. The sample, as received, was homogenized before subsamples were drawn for specific analyses. This report is supplemental to any other reports with the same analytic sample number.

THCmax (a.k.a. Total THC) = d9-THC + (THCA* * 0.877) CBDmax (a.k.a. Total CBD) = CBD + (CBD-A * 0.877) Total Cannabinoid is a raw sum of all measured cannabinoids In Traceability, Total Cannabinoid is a sum of THCmax and CBDmax Figures may differ slightly from traceability due to rounding ND = Not Detected NE = Not Examined Unk = Unknown Analytical Methods Used Cannabinoids: HPLC-UV Microbial: Plate Counting Terpenes: HS-GC-FID Solvents: HS-GC-MS

Trace Residue: UHPLC-MSMS Water Activity: HYGROMER® Page 2 of 4



^{*}Reporting Limit (RL) = 500 ppm



Cannabis Analytics and Research Specialists

WSLCB License # 0003 | 14797 NE 95th St, Redmond, WA 98052 | (206) 743-8843 | info@conflabs.com Certified For: Cannabinoids | Microbiologicals | Mycotoxins | Foreign Matter | Moisture | Terpenes | Residual Solvents | Pesticides

Chemical Residue Screen

Official Test Results for Laboratory Sample # 8030833

Origination: Diolieve CBD UBI #: Inventory #: 20210309LW003

Strain: Raw full Spectrum CBD License #: QA #: 20210309LW003

Type: CO2 Harvest Date: Unknown

Address: 2271 Lake Ave Suite 6755 Date of Receipt: 2021-03-09 Approved By: N. Mosely, CEO

Altadena, CA 91001 Date of Testing: 2021-03-09 S. Stevens, LDR



Chemical Residue Screen - Test Report

Cannabis samples were homogenized and extracted using a custom protocol. Instrumental analysis was performed with UHPLC-MS/MS (tandem quadrupole). Target compounds were identified by matching to Certified Reference Materials. Ion-selective detection (multiple reaction monitoring, or MRM) was used to ensure that precursor and product ions of the correct masses co-eluted and were observed in ratios matching those for the reference materials.



Dozens of compounds representing many different classes of fungicides, herbicides, and plant growth regulators were screened for. This document lists all analytes detected in the Chemical Residue Screen.

Findings

Analyte Name	CAS#	Amount In Sample	PASS/FAIL	WA State Action Level	Analyte Name	CAS#	Amount In Sample	PASS/FAIL	WA State Action Level
(sum) Spinosads	NA	NOT DETECTED	PASS	0.20 ppm	Daminozide	1596-84-5	NOT DETECTED	PASS	1.00 ppm
(sum) Permethrins	NA	NOT DETECTED	PASS	0.20 ppm	Diazinon	333-41-5	NOT DETECTED	PASS	0.20 ppm
Metalaxyl	57837-19-1	0.029 ppm	PASS	0.20 ppm	Dichlorvos	62-73-7	NOT DETECTED	PASS	0.10 ppm
Abamectin B1a	71751-41-2	NOT DETECTED	PASS	0.50 ppm	Dimethoate	60-51-5	NOT DETECTED	PASS	0.20 ppm
Acephate	30560-19-1	NOT DETECTED	PASS	0.40 ppm	Ethoprophos	13194-48-4	NOT DETECTED	PASS	0.20 ppm
Acetamiprid	135410-20-7	NOT DETECTED	PASS	0.20 ppm	Etofenprox	80844-07-1	NOT DETECTED	PASS	0.40 ppm
Aldicarb	116-06-3	NOT DETECTED	PASS	0.40 ppm	Etoxazole	153233-91-1	NOT DETECTED	PASS	0.20 ppm
Azoxystrobin	131860-33-8	NOT DETECTED	PASS	0.20 ppm	Fenoxycarb	72490-01-8	NOT DETECTED	PASS	0.20 ppm
Bifenazate	149877-41-8	NOT DETECTED	PASS	0.20 ppm	Fenpyroximate	134098-61-6	NOT DETECTED	PASS	0.40 ppm
Bifenthrin	82657-04-3	NOT DETECTED	PASS	0.20 ppm	Fipronil	120068-37-3	NOT DETECTED	PASS	0.40 ppm
Boscalid	188425-85-6	NOT DETECTED	PASS	0.40 ppm	Flonicamid	158062-67-0	NOT DETECTED	PASS	1.00 ppm
Carbaryl	63-25-2	NOT DETECTED	PASS	0.20 ppm	Fludioxonil	131341-86-1	NOT DETECTED	PASS	0.40 ppm
Carbofuran	1563-66-2	NOT DETECTED	PASS	0.20 ppm	Hexythiazox	78587-05-0	NOT DETECTED	PASS	1.00 ppm
Chlorantraniliprole	500008-45-7	NOT DETECTED	PASS	0.20 ppm	Imazalil	35554-44-0	NOT DETECTED	PASS	0.20 ppm
Chlormequat	7003-89-6	NOT DETECTED	PASS	0.10 ppm	Imidacloprid	138261-41-3	NOT DETECTED	PASS	0.40 ppm
Chlorpyrifos	2921-88-2	NOT DETECTED	PASS	0.20 ppm	Kresoxim-methyl	143390-89-0	NOT DETECTED	PASS	0.40 ppm
cis-Permethrin	52645-53-1	NOT DETECTED	PASS	0.20 ppm	Malathion	121-75-5	NOT DETECTED	PASS	0.20 ppm
Clofentezine	74115-24-5	NOT DETECTED	PASS	0.20 ppm	Methiocarb	2032-65-7	NOT DETECTED	PASS	0.20 ppm

^{*} Greater than lower limit of detection (>LLOD) and less than lower limit of quantification (<LLOQ). Applies to instances when the analyte has been detected and positively identified, but the concentration is lower than we can accurately quantify. Specifically: signal to noise ratio greater than 3 and signal less than calibration. LLOD is ~0.010 ppm for most analytes, LLOQ is ~0.01 fpm nost analytes. Number shown is lower end of calibration (LLOQ).

These testing results are certified by scientific examination of a single sample provided by the Producer/Processor. Confidence Analytics and its agents did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. The sample, as received, was homogenized before subsamples were drawn for specific analyses. This report is supplemental to any other reports with the same analytic sample number.





^{**} Greater than upper limit of quantification (>ULOQ). Applies to instances when the analyte concentration in the sample is greater than we can accurately measure without additional testing. Number shown is upper end of calibration (ULOQ).



Cannabis Analytics and Research Specialists

WSLCB License # 0003 | 14797 NE 95th St, Redmond, WA 98052 | (206) 743-8843 | info@conflabs.com

Chemical Residue Screen

Official Test Results for Laboratory Sample # 8030833

Origination: Diolieve CBD UBI #: Inventory #: 20210309LW003

Strain: Raw full Spectrum CBD License #: QA #: 20210309LW003

Type: CO2 Harvest Date: Unknown

Address: 2271 Lake Ave Suite 6755 Date of Receipt: 2021-03-09 Approved By: N. Mosely, CEO

Altadena, CA 91001 Date of Testing: 2021-03-09 S. Stevens, LDR



Chemical Residue Screen - Test Report

Cannabis samples were homogenized and extracted using a custom protocol. Instrumental analysis was performed with UHPLC-MS/MS (tandem quadrupole). Target compounds were identified by matching to Certified Reference Materials. Ion-selective detection (multiple reaction monitoring, or MRM) was used to ensure that precursor and product ions of the correct masses co-eluted and were observed in ratios matching those for the reference materials.




Dozens of compounds representing many different classes of fungicides, herbicides, and plant growth regulators were screened for. This document lists all analytes detected in the Chemical Residue Screen.

Findings

Analyte Name	CAS#	Amount In Sample	PASS/FAIL	WA State Action Level
Methomyl	16752-77-5	NOT DETECTED	PASS	0.40 ppm
Myclobutanil	88671-89-0	NOT DETECTED	PASS	0.20 ppm
Naled	300-76-5	NOT DETECTED	PASS	0.50 ppm
Oxamyl	23135-22-0	NOT DETECTED	PASS	1.00 ppm
Paclobutrazol	76738-62-0	NOT DETECTED	PASS	0.40 ppm
Phosemet (Imidan)	732-11-6	NOT DETECTED	PASS	0.20 ppm
Piperonyl Butoxide	51-03-6	NOT DETECTED	PASS	2.00 ppm
Prallethrin	23031-36-9	NOT DETECTED	PASS	0.20 ppm
Propiconazole	60207-90-1	NOT DETECTED	PASS	0.40 ppm
Propoxur	114-26-1	NOT DETECTED	PASS	0.20 ppm
Pyrethrin I	8003-34-7	NOT DETECTED	PASS	1.00 ppm
Pyridaben	96489-71-3	NOT DETECTED	PASS	0.20 ppm
Spinosad A	168316-95-8	NOT DETECTED	PASS	0.20 ppm
Spinosad D	168316-95-9	NOT DETECTED	PASS	0.20 ppm
Spiromesifen	283594-90-1	NOT DETECTED	PASS	0.20 ppm
Spirotetramat	203313-25-1	NOT DETECTED	PASS	0.20 ppm
Spiroxamine	118134-30-8	NOT DETECTED	PASS	0.40 ppm
Tebuconazole	80443-41-0	NOT DETECTED	PASS	0.40 ppm

Analyte Name	CAS#	Amount In Sample	PASS/FAIL	WA State Action Level
Thiacloprid	111988-49-9	NOT DETECTED	PASS	0.20 ppm
Thiamethoxam	153719-23-4	NOT DETECTED	PASS	0.20 ppm
trans-Permethrin	52645-53-2	NOT DETECTED	PASS	0.20 ppm
Trifloxystrobin	141517-21-7	NOT DETECTED	PASS	0.20 ppm
Uniconazole	83657-22-1	NOT DETECTED	PASS	0.10 ppm

These testing results are certified by scientific examination of a single sample provided by the Producer/Processor. Confidence Analytics and its agents did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. The sample, as received, was homogenized before subsamples were drawn for specific analyses. This report is supplemental to any other reports with the same analytic sample number.



ND = Not Detected NE = Not Examined Unk = Unknown Analytical Methods Used Cannabinoids: HPLC-UV Microbial: Plate Counting Terpenes: HS-GC-FID Solvents: HS-GC-MS Trace Residue: UHPLC-MSMS Water Activity: HYGROMER® Page 4 of 4





^{*} Greater than lower limit of detection (>LLOD) and less than lower limit of quantification (<LLOQ). Applies to instances when the analyte has been detected and positively identified, but the concentration is lower than we can accurately quantify. Specifically: signal to noise ratio greater than 3 and signal less than calibration. LLOD is ~0.01 ppm for most analytes, LLOQ is ~0.01 fpm most analytes. Number shown is lower end of calibration (LLOQ).

^{**} Greater than upper limit of quantification (>ULOQ). Applies to instances when the analyte concentration in the sample is greater than we can accurately measure without additional testing. Number shown is upper end of calibration (ULOQ).